



www.fasttrade.cloud











Sigma Enterprise LLC is a company specialized in the distribution of industrial products, as well as a supplier and distributor of services for a wide range of scientific and engineering technologies. It mainly operates in the United Arab Emirates and the Gulf Cooperation Council (GCC) region. With a well-established and extensive sales structure already consolidated in the market, Sigma is affiliated with Mazrui International, a privately held diversified holding company operating in various sectors and asset classes, including Oil & Gas, Real Estate, Trading, Financial Investments, Education, Construction & Logistics, and Retail.





Fast Trade has been the reference fastener solution provider for the fasteners and fixing industry, with an extensive network of distribution and logistics centers in Italy, Spain, France, Germany, Romania, Morocco, the United Arab Emirates, and an e-commerce channel. Born within the Fontana Group, a global leader in fastener production, Fast Trade offers a comprehensive range of fastening solutions for various sectors, from industry to infrastructure, from petrochemicals to wind energy. The extensive range of products in the catalog is combined with the opportunity to benefit from tailor-made services designed for dedicated solutions, leveraging a distribution footprint that covers the entire GCC & North Africa region.















ITALY FRANCE GERMANY SPAIN ROMANIA EMIRATES MOROCCO MUNGO USA BRASIL MEXICO INDIA

# PRODUCT RANGE

### **STRUCTURAL BOLTS**

### (Heavy Hex Bolts) High resistance bolts for steel construction



| STANDARD              | GRADE | SIZE RANGE | COATING (SURFACE) |
|-----------------------|-------|------------|-------------------|
| ASTM F3125            | 8.8   | M12 to M36 | Plain,            |
| (A325M, A490M)        | 10.9  |            | Zinc Plated,      |
| EN ISO 14399-4 (HV)   | 12.9  |            | HDG,              |
| EN ISO 14399-3 (HR)   |       |            | PTFE,             |
| EN ISO 14399-10 (HRC) |       |            | Zinc Flake GEOMET |

### **HEX BOLTS**



Hexagon head Bolt partial thread

| STANDARD   |
|--|
| Material Standard:<br>BS EN ISO 898 -1               |
| Specification:<br>BS 3692                            |
| Compatible with BS<br>4190 / DIN 931 /<br>ISO 4014 / |

EN ISO 15048 (SB)

| 4.6                                    |
|--|
| 5.6                                    |
| 8.8                                    |
| 10.9                                   |
| SS-304<br>(A2-70)<br>SS-316<br>(A4-70) |

GRADE

| SIZE RANGE | COATING (SURFACE) |
|------------|-------------------|
| M4 to M30  | Plain,            |
|            | Zinc Plated,      |
|            | HDG-Hot Dip       |
|            | Galvanized        |
|            | PTFE,             |
|            | Zinc Flake        |

GEOMET



Hexagon head screw full thread

| STANDARD                       | GRADE             | SIZE RANGE | COATING (SURFACE) |
|--------------------------------|-------------------|------------|-------------------|
| Material Standard:             | 4.6               | M4 to M30  | Plain,            |
| BS EN ISO 898 -1               | 5.6               |            | Zinc Plated,      |
| Specification:                 | 8.8               |            | HDG-Hot Dip       |
| BS 3692                        | 10.9              |            | Galvanized        |
| Compatible with BS             | SS-304            |            | PTFE,             |
| 4190 / DIN 933 /<br>ISO 4017 / | (A2-70)           |            | Zinc Flake        |
| EN ISO 15048 (SB)              | SS-316<br>(A4-70) |            | GEOMET            |

### NUT

### Hex Nut / Heavy Hex Nut / Hex Flange Nut / Washer Assemblies



| STANDARD  | GRADE   | SIZE RANGE | COATING (SURFACE)                                      |
|---|---|------------|--|
| Material Standard:<br>BS 3692<br>Compatible with BS<br>4190 / DIN 934 / ISO<br>4032 | 8,<br>9,<br>10,<br>SS-304<br>(A2-70) /<br>SS-316<br>(A4-70) | M3 to M30  | Plain,<br>Hot Dip Galvanized,<br>Mechanical Galvanized |

### **Hex Nut**



| STANDARD  | GRADE   | SIZE RANGE | COATING (SURFACE)                                      |
|---|---|------------|--|
| DIN 6915/ ISO 7414/ BS<br>4395/ UNI 5713/ ASTM<br>A194/ ASTM A563 | 8,<br>9,<br>10,<br>SS-304<br>(A2-70) /<br>SS-316<br>(A4-70) | M3 to M30  | Plain,<br>Hot Dip Galvanized,<br>Mechanical Galvanized |
|   | , ,   |            |  |

**Heavy Hex Nut** 

### **WASHER**

Flat washers; DTI Washer (Direct tension indicators; Fender washer (Large Series Flat Washer); Washers for nut assemblies.



| STANDARD   | GRADE   | SIZE RANGE | COATING (SURFACE)                            |
|--|---|------------|--|
| DIN 125A (ISO 7089) /<br>DIN 125B (ISO 7090) /<br>DIN 126 (ISO 7091)<br>ASTM F436M<br>(Structural Washers) | Mild Steel,<br>Carbon Steel,<br>Alloy Steel<br>& Stainless<br>Steel | M3 to M30  | Plain,<br>Zinc Plated,<br>Hot Dip Galvanized |

# FIN NECK BOLT



| STANDARD | GRADE          | SIZE RANGE | COATING (SURFACE) |
|----------|----------------|------------|-------------------|
| DIN 603  | 4.6            | M5 to M20  | Plain,            |
|          | 4.8            |            | Zinc Plated,      |
|          | 8.8            |            | HDG,              |
|          | 10.9           |            | Zinc Flake        |
|          | SS-304 (A2-70) |            |                   |
|          | SS-316 (A4-70) |            |                   |
|          |                |            |                   |

### **ALLEN BOLT**

### **HEX. Socket Head Cap Screw**



| STANDARD  | GRADE                   | SIZE RANGE | COATING (SURFACE) |
|-----------|-------------------------|------------|-------------------|
| DIN 912,  | 8.8/10.9/12.9/          | M4 to M20  | Plain,            |
| DIN 6912, | SS-304 (A2-             |            | Zinc Plated,      |
| ISO 4762  | 70) / SS-316<br>(A4-70) |            | Zinc Flake GEOMET |

# **HEXAGON SOCKET COUNTERSUNK SCREW**



| STANDARD                          | GRADE  | SIZE RANGE | COATING (SURFACE)                           |
|-----------------------------------|--|------------|---|
| DIN 7991<br>ISO 10642<br>UNI 5933 | 8.8/10.9/12.9/<br>SS-304 (A2-<br>70) / SS-316<br>(A4-70) | M2 to M20  | Plain,<br>Zinc Plated,<br>Zinc Flake GEOMET |

### **STUD BOLTS**

### **Fully Threaded Rod**



| DIN 07F 4.9 MG to M100 Zing plated   | STANDARD  | GRADE   | SIZE RANGE | COATING (SURFACE)                   |
|--|---|---|------------|-------------------------------------|
| DIN 976  ASTM A193  BS 4190  BS 3692  SS-316 (A4-70)/  ASTM A193 Grade  B7, B7M, B8, B8C,  B8M, B8T & B16/  ASTM A320 Grade  L7 & L7M, B8,  B8C, B8M & B8T | DIN 975 DIN 976 ASTM A193 ASTM A320 BS 4190 BS 3692 | 4.8<br>5.8<br>8.8<br>10.9<br>12.9<br>SS-304 (A2-70) /<br>SS-316 (A4-70)/<br>ASTM A193 Grade<br>B7, B7M, B8, B8C,<br>B8M, B8T & B16/<br>ASTM A320 Grade<br>L7 & L7M, B8, | M6 to M100 | Zinc plated Hot Dip Galvanized PTFE |


### **HEX WOOD SCREW**



| STANDARD | GRADE             | SIZE RANGE | COATING (SURFACE) |
|----------|-------------------|------------|-------------------|
| DIN 571  | 4.6               | M4 to M10  | Plain Stainless,  |
| UNI 704  | 4.8               |            | Zinc Plated,      |
|          | SS-304<br>(A2-70) |            | HDG               |
|          | SS-316<br>(A4-70) |            |                   |

# **DRYWALL SCREW**

Board screws



| STANDARD                               | GRADE        | SIZE RANGE   | COATING (SURFACE) |
|--|--------------|--------------|-------------------|
| Fine/Coarse Threaded,                  | Carbon Steel | M3.5 to M4.2 | Black Phosphate   |
| Self-Drilling/Bugle<br>Head and Gypsum |              |              |                   |

# SELF-DRILLING/TAPPING SCREW



| STANDARD                       | GRADE  | SIZE RANGE                         | COATING (SURFACE)    |
|--------------------------------|--|------------------------------------|----------------------|
| DIN 7504(K,L,M,R,O,P) DIN 7976 | Carbon Steel<br>SS-304 (A2) /<br>SS-316 (A4) | ф 4.2<br>ф 4.8<br>ф 5.5<br>ф 6.3mm | Plain<br>Zinc Plated |

### **PROJECTS**

### SANTIAGO BERNABEU STADIUM, MADRID-SPAIN



- Specifications: "Special" screws with modifications to the EN 14399-4 K2 standard.
- Quantities /Tons: 308,724 Sets / 206,604 kg of screw sets (screw + nut + two washers).
- Treatment & Finish: According to EN 14399-4 10.9 K2 standard and with Geomet 500-B, Geomet 500-B + Plus VLh and Geomet 321 + Plus L coatings.



Salt fog resistance test certificate and test report for absence of hydrogen embrittlement according to EN-15330 standard.

 Project: Cable-stayed truss, brace and cable-stayed extension. Lateral, rolling and tubular trusses.

Start date: May 2020 Completion date: April 2022

### "THE WORLD'S BIGGEST TELESCOPE", CERRO ARMAZONES , ACATAMA DESERT - CHILE



- Specifications: Bolts EN14399-4 HV in K2.
   A product that guarantees tightening simplified to full torque maintaining a limited dispersion of values.
- Quantities/Tons: 165,755 Sets / 82,243 kg of screw sets (screw + nut + two washers) from M12 to M36.
- Treatment & Finish: According to EN 14399-410.9 K2 standard (Black/Plain).



- **Project:** The hardware for the realization of the metal carpentry of the telescope provided by Fast Trade. Transportation has beendone by sea to Chile and the supply managed directly from the Iberian branch of Fast Trade.
- Start date: June 2014Completion date: June 2025

### **VELODROME STADIUM IN MARSEILLE - FRANCE**



- **Specifications:** EN14399-4 10.9 K2 standard.
- **Tons:** The entire roof is made of 5,500 t of steel and it was designed with steel cables (about 55 km of pipes).
- Finish: structure was designed to be fixed with bolts on site and with Hot-Dip Galvanization as anti-corrosion protection.



- **Project:** The central element in the stadium renovation is the new roof. It is a 5,500 ton three-dimensional steel structure, which rises to a height of 65 m at its highest point.
- Start date: September 2011
  Completion date: September 2014

# **CERTIFICATES**
















#### **HEADQUARTERS**

Fontana Finanziaria S.p.A. Via Fontana, 9 20837 – Veduggio con Colzano (MB) – IT

#### O ITALY

Via F. Zanardi, 58 – 40131 Bologna (BO) Via Enrico Fermi, 8 – 24045 Fara Gera D'Adda (BG) Viale Sabotino, 217 – 20025 Legnano (MI) Via A.Nobel, 8 – 31020 Villorba (TV) Via del Lavoro, 14 – 36040 Grisignano di Zocco (VI) Via A.Moro, 31-33 - 20037 Paderno Dugnano (MI) Via Degli Avieri, 2 -36040 Torri di Quartesolo (VI) Strada della Cebrosa, 109 - 10156 Torino

#### O IBERIAN

Pol. Industrial 'Ampliación Ca n'Estellà c/Galileu, 2y4 - 08635 Barcellona

### FRANCE

BP 63 – ZI – 90140 Bourogne B.P 23- rue André Fruchard 23 - 54320 Maxéville

### ROMANIA

STR. Zizinului, 111 – 500407 Brasov

#### **GERMANY**

54-56, Heinrich-Hertz-Straße, 40699 Erkrath

### MOROCCO

Rue Al Balssane res Leila mag 3c, la Gironde, Casablanca

#### UNITED ARAB EMIRATES

Sigma Enterprises LLC - Dubai Investment Park 1 P.O.Box: 96241 Dubai, United Arab Emirates

# CONTACT\_



amr.shalby@fasttrade.cloud



Sigma Enterprises LLC - Dubai Investment Park 1 P.O.Box: 96241 Dubai, United Arab Emirates

**\** +971 800 6373 / +971 50 2108638